

Warrant Status Update Electronic Submission Service

Consumer Documentation

Table of Contents

| 1. P | REFACE | 3 |
|-------|---------------------------|---|
| 2. 0 | VERVIEW | 3 |
| 3. N | /IESSAGES | 3 |
| 3.1. | Submission Message | 3 |
| 3.1. | | |
| 3.1.2 | | |
| 3.1 | | |
| 3.2. | Response Message | 4 |
| 3.2. | | 5 |
| 3.2.2 | | |
| 4. U | SAGE | 5 |
| 4.1. | Authorization | 5 |
| l.1. | Accessing the Service | 5 |
| 5. T | ROUBLESHOOTING | 5 |
| 5.1. | Message Retention | 5 |
| 5.2. | Problem Resolution Steps | 5 |
| 6. D | OCUMENT REVISION HISTORY | 6 |
| APPFN | NDIX A: VALIDATION ERRORS | 7 |

1. Preface

This document describes the MNCIS Warrant Status Update electronic submission service.

On the Court Integration Services website at http://www.mncourts.gov/is:

See the <u>Integration Services Technical Overview</u> document for additional information on how to use Integration Services.

See the <u>eFiling Technical Overview</u> document for information that applies to electronic filing services in general.

2. Overview

This service allows an authorized court business partner to submit a warrant status update to MNCIS, the court case management system. For instance, the jail can use this service to let the court know that the subject has been arrested and the warrant is no longer active. A successful Warrant Status Update generates a notification of the status change that is sent to subscribing agencies.

The Warrant Status Update Service is just one of the Court Integration services available. Refer to the <u>Court Integration Services</u> website at http://www.mncourts.gov/is for a complete list of available services.

3. Messages

The Warrant Status Update submission service uses the SOAP message structure. See the <u>Integration Services Technical Overview</u> document for more information on the general format for Integration Services messages.

Refer to the <u>Court Integration Services</u> website for the most current version of the schema for this service. That CourtXML schema has the most up to date structure for this submission message.

Sample submission and response messages are available on the Integration Services website.

3.1. Submission Message

The input message to this service is referred to as a submission message.

3.1.1. Message Definition

SOAP Action: http://www.courts.state.mn.us/IS/02/SubmitUpdateWarrantStatus

Schema: WarrantStatus_3_1.xsd Root Element: UpdateWarrantStatus

3.1.2. Message Details

Refer to the schema for this service to learn about the data that is included in the submission message, as well as any MNCIS code value enumerations that this service uses.

This service only allows certain specific statuses to be submitted. These warrant status values are specified by the enumeration of the NewWarrantStatus/WarrantStatusTypeText element defined in the schema.

This service requires the submitter to include the current warrant status and the date of that current status. This safeguard prevents the submitter from overlaying a status that is more current than the new warrant status that is being submitted.

Message Correlation:

The Court Warrant Number is required. Although message correlation is noted in schema, this functionality is not supported for this eFile service. The option of Correlation EFILEID will be removed in future versions of the schema.

3.1.3. Message Validation

Some of the validation applied to a submission message, (such as schema validation) is performed by the state Integration Broker (IB), and some validation is performed after the message is submitted from the IB to MNCIS.

It is possible for a submission message to pass schema validation, but fail some business edits enforced by MNCIS.

Some IB validation is common to all query request and eFile submission messages. Refer to the <u>Integration Service Technical Overview</u> document for information on this validation and the resulting SOAP fault errors that can occur.

Some additional validation is common to all eFile submission messages. Refer to the MNCIS <u>eFiling Technical Overview</u> document for information on this validation and the resulting SOAP fault errors that can occur. This document also provides a high-level message flow diagram for submission messages.

Refer to Appendix A in this document for a list of validation errors that are specific to the Warrant Status Update Service submission service.

3.2. Response Message

The output message from this service is referred to as a response message.

3.2.1. Message Definition

Refer to the <u>Integration Service Technical Overview</u> document for information regarding the different options for receiving response messages.

Push SOAP Action:

http://www.courts.state.mn.us/IS/02/SubmitUpdateWarrantStat

usResponse

Pull SOAP Action:

http://www.courts.state.mn.us/IS/02/PullHeldUpdateWarrantSta

tusResponse

Release SOAP Action: http://www.courts.state.mn.us/IS/02/ReleaseHeldUpdateWarrantStatusResponse

Schema: WarrantStatus 3 1.xsd

Root Element: UpdateWarrantStatusResponse

3.2.2. Message Details

Refer to the schema for this service to learn about the data that is included in the response message.

4. Usage

4.1. Authorization

A consumer must be granted a specific right to use the Warrant Status Update electronic submission service. Refer to the <u>Request Access</u> link on the <u>Court Integration Services</u> website at http://www.mncourts.gov/is for an overview of the process for requesting access to use Court Integration Services.

4.1. Accessing the Service

Warrant Status Update messages may be submitted as IBM MQ Series messages, or through the use of a web service. Refer to the <u>Integration Services Technical Overview</u> document for information on these methods.

5. Troubleshooting

5.1. Message Retention

Submission and response messages are retained for a period of time to assist with troubleshooting. The Warrant Status Update Service adheres to the general message retention policy for submission messages that can be found in the MNCIS <u>eFiling</u> <u>Technical Overview</u> document.

5.2. Problem Resolution Steps

Review the <u>Integration Services Technical Overview</u> document for general steps that can be taken to resolve issues with the use of this service.

6. Document Revision History

| Date | Author | Revision Highlights | |
|-----------|--------------|--|--|
| 1/2/08 | R. Rowan | Document created. | |
| 2/15/08 | R. Rowan | Changed to new format; Added Validation Error Table. | |
| 3/18/08 | R. Rowan | Updated validation error for "warrant not found". | |
| 2/14/12 | R. Gosewisch | Updated the 'Message Details' section to reflect the need for the warrant status values allowed by this service to be configured with a default warrant location in MNCIS. This is a requirement of the Odyssey API now being used to accomplish the update - the message schema currently does not accommodate a warrant status location. | |
| 8/15/16 | J. Hoch | Updates to reflect current service functions. - Removed information about court location requirements since MNCIS is now configured statewide. - Changed Message Correlation ID information. Warrant Number is required although schema notes this as an option. Schema will be changed to reflect in future. | |
| 2/13/2017 | R. Rowan | Changed format of this document. No content was changed. | |
| 8/14/2017 | T. Adams | Added links to technical documents. Added http://www.mncourts.gov/is web address reference for the Court Integration Services website. | |

Appendix A: Validation Errors

- See the message schema for the full response message structure.
- Refer to the <u>eFiling Technical Overview</u> document for other SOAP fault type errors that can occur with submission messages.

| # | Туре | Error Code | Error Text | Description/Resolution |
|---|---------------------------------|-----------------------|--|---|
| 1 | System Rejection Response | | Current Status on EFile does not match Current Status on Warrant. | The current status of the warrant in MNCIS is different than the current status submitted with the message. Note: This service requires the submitter to know the current |
| | | | | warrant status and to include it in the submission message. This prevents the submission from overlaying a current status that was entered after the new status that the submitter is trying to submit. |
| 2 | System Rejection Response | | [warrant status] is not a valid uWrntStat at node [node id] | The new warrant status is not valid at the court node for which it was submitted. |
| 3 | System Rejection Response | 66 | A Warrant Status Date and Time combination is invalid because [SIC] it is in the future. | The new warrant status being submitted cannot have a date/time that is in the future. |
| 4 | SOAP Fault | soap:InvalidMessage | WarrantStatusTypeText element is invalid - The value ['Warrant Status'] is invalid according to its datatype 'String' - The Enumeration constraint failed. | The message specifies a Warrant Status Type that is not valid for the court node at which the case is assigned. |
| 5 | SOAP Fault | Soap: CaseNotFound | Warrant Not Found | The specified warrant number does not exist on a case MNCIS. |